

XEROX®

Technology | Document Management | Consulting Services

Recommended Xerox Media for Xerox DocuColor 12 LP/CP and DCCS 50 (EUROPE)**Revision 5.0, August 2007**

last revision Feb 2007

This supersedes any previous Recommended Media for Xerox DocuColor 12 LP/CP and DCCS 50 list.

Any additions or part number changes since the last publication are indicated in Blue print.**Important Note:**

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing environment Temperature 23 degreesC±2, Relative Humidity 50% ±5.

In the enclosed Recommended Materials List, green shaded areas marked with an "x" indicate approved product/media type configurations. Although these configurations are recommended, reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by increased usage of Heavy Weight mode and Extra Heavy Weight mode. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox Sales or Service representative can advise you on using Heavy Weight mode, Extra Heavy Weight mode or special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to the Color Material Usage Guide that comes with your machine.

© 2003 Xerox Corporation. All rights reserved.

Xerox®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer										
	A4 210 x 297 mm	A3 297 x 420 mm	A3+ 305 x 457 mm	SRA3 320 x 450 mm		Black only	Full Colour	Tray 1, 6 (HCP) A4 size only		Tray 2,3,4		Tray 5, 64 - 250 g/m ²						
								Note: select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)										
Weight range specification							64 - 105 g/m ²		64 - 128 g/m ²		64 - 105 g/m ²		106-163 g/m ²		164-250 g/m ²			
Media selection							Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Trans- parency
Xerographic/Laser	for media marked # - colour print quality will not be as good as Colotech+ papers																	
Xerox Premier	3R91713				60	x	#	x	x	x		x	x	x				
Xerox Premier	3R91720				80	x	#	x	x	x		x	x	x				
		3R91721			80	x	#	x	x	x		x	x	x				
Xerox Business	3R91820				80	x	#	x	x	x		x	x	x				
		3R91821			80	x	#	x	x	x		x	x	x				
Xerox Digital Colour Impressions	3R97661				80	x	x	x	x	x		x	x	x				
		3R97662			80	x	x			x		x	x	x				
Xerox Digital Colour Impressions	3R97663				90	x	x	x	x	x		x	x	x				
		3R97664			90	x	x			x		x	x	x				
				3R97665	90	x	x					x	x					
Xerox Digital Colour Colotech + Gold	3R97988				90	x	x	x	x	x		x	x	x				
		3R97990			90	x	x			x		x	x	x				
					90	x	x			*		x	x					
				3R97991	90	x	x					x	x					
Xerox Digital Colour Colotech +	3R94641				90	x	x	x	x	x		x	x	x				
		3R94642			90	x	x			x		x	x	x				
				3R94643*	90	x	x			*		x	x					
				3R95838	90	x	x					x	x					
Xerox Digital Colour Impressions	3R97666				100	x	x	x	x	x		x	x	x				
		3R97667			100	x	x			x		x	x	x				
				3R97668	100	x	x					x	x					
Xerox Digital Colour Colotech + Gold	3R97993				100	x	x	x	x	x		x	x	x				
		3R97955			100	x	x			x		x	x	x				
					100	x	x			*		x	x					
				3R97956	100	x	x					x	x					

	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer											
	A4 210 x 297 mm	A3 297 x 420 mm	A3+ 305 x 457 mm	SRA3 320 x 450 mm		Black only	Full Colour	Tray 1, 6 (HCP)		Tray 2,3,4			Tray 5, 64 - 250 g/m2						
							A4 size only					Note: select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)							
Weight range specification	→							64 - 105 g/m ²		64 - 128 g/m ²			64 - 105 g/m ²		106-163 g/m ²		164-250 g/m ²		
Media selection	→							Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Transparency
Xerox Digital Colour Colotech +	3R94646				100	x	x	x	x	x		x	x	x					
		3R94647			100	x	x			x		x	x	x					
			3R94648*		100	x	x			*			x	x					
Xerox Digital Colour Colotech + Natural White	3R97102			3R95839	100	x	x	x	x	x		x	x	x					
		3R97103			100	x	x			x		x	x	x					
					100	x	x			*			x	x					
				3R97397	100	x	x						x	x					
* Trays 2-4 must be converted by service engineer to allow running of A3+ (305mm x457mm)																			
Xerox Digital Colour Impressions	3R98685				120						Enable heavy weight option*								
		3R97669			120	x	x								x	x			
				3R97670	120	x	x								x	x			
Xerox Digital Colour Colotech+	3R97958				120	x	x				Enable heavy weight option*				x	x			
		3R97959			120	x	x								x	x			
					120	x	x								x	x			
				3R97960	120	x	x								x	x			
Xerox Digital Colour Colotech+	3R94651				120	x	x				Enable heavy weight option*				x	x			
		3R94652			120	x	x								x	x			
			3R94653*		120	x	x								x	x			
				3R95840	120	x	x								x	x			
* Trays 2-4 must be converted by service engineer to allow running of A3+ (305mm x457mm)																			
Index/Cover																			
Xerox Digital Colour Impressions	3R98007				160	x	x								x	x			
		3R98007			160	x	x								x	x			
Xerox Digital Colour Colotech + Gold				3R98686	160	x	x								x	x			
	3R97963				160	x	x								x	x			
		3R97964			160	x	x								x	x			
				3R97965	160	x	x								x	x			

	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer										
	A4	A3	A3+	SRA3		Black only	Full Colour	Tray 1, 6 (HCP)		Tray 2,3,4			Tray 5, 64 - 250 g/m ²					
	210 x 297 mm	297 x 420 mm	305 x457 mm	320 x 450 mm				A4 size only				Note: select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)						
Weight range specification							64 - 105 g/m ²		64 - 128 g/m ²			64 - 105 g/m ²		106-163 g/m ²		164-250 g/m ²		
Media selection							Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Transparency
Xerox Digital Colour Colotech +	3R94656				160	x	x							x	x			
		3R94657			160	x	x							x	x			
			3R95658		160	x	x							x	x			
				3R95841	160	x	x							x	x			
Xerox Digital Colour Colotech + Natural White	3R95956				160	x	x							x	x			
		3R95957			160	x	x							x	x			
				3R97276	160	x	x							x	x			
Xerox Digital Colour Colotech + Gold	3R97967				200	x	x									x	x	
		3R97968			200	x	x									x	x	
				3R97969	200	x	x									x	x	
Xerox Digital Colour Colotech +	3R94661				200	x	x									x	x	
		3R94662			200	x	x									x	x	
			3R94663		200	x	x									x	x	
				3R95842	200	x	x									x	x	
Xerox Digital Colour Colotech + Natural White	3R95958				200	x	x									x	x	
		3R95959			200	x	x									x	x	
				3R97277	200	x	x									x	x	
Xerox Digital Colour Colotech + Gold	3R97971				220	x	x									x	x	
		3R97972			220	x	x									x	x	
				3R97973	220	x	x									x	x	



	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer										
	A4	A3	A3+	SRA3		Black only	Full Colour	Tray 1, 6 (HCP)		Tray 2,3,4			Tray 5, 64 - 250 g/m2					
	210 x 297 mm	297 x 420 mm	305 x 457 mm	320 x 450 mm				A4 size only				<u>Note:</u> select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)						
Weight range specification							64 - 105 g/m ²		64 - 128 g/m ²			64 - 105 g/m ²		106-163 g/m ²		164-250 g/m ²		
Media selection							Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Transparency
Xerox Digital Colour Colotech +	3R94668				220	x	x									x	x	
		3R94669			220	x	x									x	x	
			3R94670		220	x	x									x	x	
				3R95843	220	x	x									x	x	
Xerox Digital Colour Impressions	3R98687				250	x	x									x	x	
		3R97671			250	x	x									x	x	
			3R97672		250	x	x									x	x	
Xerox Digital Colour Colotech + Gold	3R97975				250	x	x									x	x	
		3R97976			250	x	x									x	x	
					250	x	x									x	x	
				3R97977	250	x	x									x	x	
Xerox Digital Colour Colotech +	3R94671				250	x	x									x	x	
		3R94672			250	x	x									x	x	
			3R94673		250	x	x									x	x	
				3R95844	250	x	x									x	x	
Coated Papers																		
Xerox Digital Colour Colotech + Gloss Coated	3R97574				120	x	x								x	x		
		3R97575			120	x	x								x	x		
			3R97576		120	x	x								x	x		
Xerox Digital Colour Colotech + Silk Coated	3R97592				120	x	x								x	x		
		3R97593			120	x	x								x	x		
			3R97594		120	x	x								x	x		
Xerox Digital Colour Colotech + Gloss Coated	3R97577				140	x	x								x	x		
		3R97578			140	x	x								x	x		
			3R97579		140	x	x								x	x		



	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer										
	A4	A3	A3+	SRA3		Black only	Full Colour	Tray 1, 6 (HCP)		Tray 2,3,4			Tray 5, 64 - 250 g/m ²					
	210 x 297 mm	297 x 420 mm	305 x 457 mm	320 x 450 mm				A4 size only					Note: select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)					
Weight range specification							64 - 105 g/m ²		64 - 128 g/m ²			64 - 105 g/m ²		106-163 g/m ²		164-250 g/m ²		
Media selection							Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Transparency
Xerox Digital Colour Colotech + Silk Coated	3R97595				140	x	x								x	x		
		3R97596			140	x	x								x	x		
				3R97597	140	x	x								x	x		
Xerox Digital Colour Colotech + Gloss Coated	3R97580				170	x	x										x	x
		3R97581			170	x	x										x	x
				3R97582	170	x	x										x	x
Xerox Digital Colour Colotech + Silk Coated	3R97598				170	x	x										x	x
		3R97599			170	x	x										x	x
				3R97600	170	x	x										x	x
Coated Cover																		
Xerox Digital Colour Colotech + Gloss Coated	3R97583				210	x	x										x	x
		3R97584			210	x	x										x	x
				3R97585	210	x	x										x	x
Xerox Digital Colour Colotech + Silk Coated	3R97601				210	x	x										x	x
		3R97602			210	x	x										x	x
				3R97603	210	x	x										x	x
Xerox Digital Colour Colotech + Gloss Coated	3R97586				250	x	x										x	x
		3R97587			250	x	x										x	x
				3R97588	250	x	x										x	x
Xerox Digital Colour Colotech + Silk Coated	3R97604				250	x	x										x	x
		3R97605			250	x	x										x	x
				3R97606	250	x	x										x	x



	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer												
	A4 210 x 297 mm	A3 297 x 420 mm	A3+ 305 x 457 mm	SRA3 320 x 450 mm		Black only	Full Colour	Tray 1, 6 (HCP) A4 size only		Tray 2,3,4		Tray 5, 64 - 250 g/m ²								
											Note: select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)									
Weight range specification								64 - 105 g/m ²		64 - 128 g/m ²		64 - 105 g/m ²		106-163 g/m ²		164-250 g/m ²				
Media selection								Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Transparency	
Coated One Side Cover C1S	for media marked # - colour print quality will not be as good as Colotech+ papers																			
Xerox Digital Colour Colotech Supergloss	3R97679				135	x	x								x	Limited Duplex. Print the uncoated side first with text or light area				
Xerox Digital Colour Colotech Supergloss	3R97680				160	x	x								x					
		3R97681			160	x	x								x					
Xerox Digital Colour Colotech Supergloss	3R97682				210	x	x										x			
		3R97683			210	x	x										x			
				3R97684	210	x	x										x		Limited Duplex. Print the uncoated side first with text or light area coverage only.	
Xerox Digital Colour Colotech Supergloss	3R97686				250	x	x										x			
		3R97687			250	x	x										x			
				3R97688	250	x	x										x			
Xerox Digital Colour Colotech Super Prescored	3R97685				210	x	x										x		as above	
Transparency																				
Xerox Universal Transparency with 14mm removable stripe	3R98198					x	x													x
Xerox Universal Transparency with paper backing SRA3				3R98201		x	x	Colour print quality may not equal CL12 transparency.										x		
Paper Label *	DO NOT RUN DIE-CUT LABELS FROM TRAY 5. ALL LABELS OTHER THAN I-UP OR 1 TO VIEW MUST BE RUN FROM TRAYS 2-4																			
	* Run labels from Trays 2, 3 or 4 which must be set for HEAVYWEIGHT mode to run labels. Load labels image side face down in the tray and long edge feed (LEF).																			
Xerox Colotech Supergloss label	3R97288				1-UP	x	x				x									
Xerox Colour Copier/Laser Labels	3R93872				1-UP	x	x				x									
	3R95813				4-UP	x	x				x									
	3R93874				8-UP	x	x				x									
	3R93875				14-UP	x	x				x									
	3R95815				21-UP	x	x				x									
	3R97524				24-UP	x	x				x									



	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer										
	A4	A3	A3+	SRA3		Black only	Full Colour	Tray 1, 6 (HCP)		Tray 2,3,4			Tray 5, 64 - 250 g/m ²					
	210 x 297 mm	297 x 420 mm	305 x 457 mm	320 x 450 mm	A4 size only						Note: select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)							
Weight range specification		→					64 - 105 g/m ²		64 - 128 g/m ²			64 - 105 g/m ²		106-163 g/m ²		164-250 g/m ²		
Media selection	→						Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Trans- parency
Xerox Removeable label	3R96177				16-up	x	#				x							
	3R96178				24-up	x	#				x							
Xerox Permanent label	3R96169				1-UP	x	#				x							
	3R96283				8-UP	x	#				x							
	3R96284				10-up	x	#				x							
	3R96281				16-up	x	#				x							
	3R96282				24-up	x	#				x							
Xerox Colotech Supergloss CD label 117mm x 41mm	3R97287				2-UP	x	x				x	Specially developed media that must be run from trays 2-4 DO NOT RUN FROM TRAY 5						
Xerox CD label 117mm x 41mm & CD insert Combi Box	3R97515				2-UP	x	x				x							
Synthetic Label*	DO NOT RUN DIE-CUT LABELS FROM TRAY 5. ALL LABELS OTHER THAN I-UP OR 1 TO VIEW MUST BE RUN FROM TRAYS 2-4																	
	* Run labels from Trays 2, 3 or 4 which must be set for HEAVYWEIGHT mode to run labels. Load labels image side face down in the tray and long edge feed (LEF).																	
Xerox Durapaper Label waterproof, oil, chemical resistant	3R97344				1-UP	x	x				x							1 up ONLY
** Xerox Glossy White self adhesive label	3R97245				1-UP	x	x											1-up ONLY
** Xerox Crystal Clear self adhesive label	3R97244				1-UP	x	x											1-up ONLY
					1-UP	x	x											1-up ONLY
					3R97348	1-UP	x	x										1-up ONLY
					3R97347	1-UP	x	x										1-up ONLY
	** For best performance run 50 sheets of plain paper after every 100 Glossy White or Crystal Clear labels.																	
Synthetic media																		
Xerox DuraPaper X250					3R97513	x	x											x x



	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer												
	A4	A3	A3+	SRA3		Black only	Full Colour	Tray 1, 6 (HCP)	Tray 2,3,4	Tray 5, 64 - 250 g/m2										
	210 x 297 mm	297 x 420 mm	305 x457 mm	320 x 450 mm				A4 size only	Note: select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)											
Weight range specification		→						64 - 105 g/m ²	64 - 128 g/m ²	64 - 105 g/m ²	106-163 g/m ²	164-250 g/m ²								
Media selection	→							Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Trans- parency	
Special Application Media	for media marked # - colour print quality will not be as good as Colotech+ papers																			
Xerox DocuPac Glossy																				
White Presentation folder	3R97251				210	x	x											x	x	
Xerox DocuPac Matt Presentation folder	3R97353				180	x	#											x	x	
Xerox Colotech Supergloss Document Folder				3R97634	250	x	x											x	x	
Xerox Colobind Gloss Covers	Max load quantity 50. Not sole application. Do not image within 6mm of spine. Post Script Custom page size required for 6mm, 9mm & 12mm																			
Xerox Colobind Gloss Covers 1.5 mm				3R98022 (320x424mm)	210	x	x												x	
Xerox Colobind Gloss Covers 3 mm				3R98023 (320x425mm)	210	x	x												x	
Xerox Colobind Gloss Covers 6 mm				3R98024 (320x428mm)	210	x	x												x	
Xerox Colobind Gloss Covers 9 mm				3R98025 (320x431mm)	210	x	x												x	
Xerox Colobind Gloss Covers 12 mm				3R98026 (320x434mm)	210	x	x												x	



	International Cut Sheet Size				Weight (g/m ²)	Output		DocuColor 12 / DCCS50 Copier Printer															
	A4	A3	A3+	SRA3		Black only	Full Colour	Tray 1, 6 (HCP)		Tray 2,3,4			Tray 5, 64 - 250 g/m ²										
	210 x 297 mm	297 x 420 mm	305 x 457 mm	320 x 450 mm	A4 size only						<u>Note:</u> select A4 size short edge feed (SEF) if paper is frequently jammed with long edge feed (LEF)												
Weight range specification								64 - 105 g/m ²		64 - 128 g/m ²			64 - 105 g/m ²		106-163 g/m ²		164-250 g/m ²						
Media selection								Normal paper	Auto duplex	Normal paper, 64-105 g/m ²	Heavy weight paper, 106-128 g/m ²	Auto duplex	Normal paper	Manual duplex	Heavy weight paper	Side 2 Heavy weight (manual duplex)	Extra heavy weight paper	Side 2, Extra heavy weight	Transparency				
Xerox Laser Business Cards 10-UP	3R97512				195	x	#	Short Edge Feed ONLY. Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
Xerox Laser Window GraphiX Clear (window decal)	3R97494				1-up	x	x								x								
Xerox Laser Window GraphiX Opaque White (window decal)	3R97511				1-up	x	x								x								
		3R97539			1-up	x	x								x								
Xerox Drafting Film	3R98190				75 micron	x	#				x				x								
Docucard 500 sheet box	3R97571				1-up	x	x	Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
DocuGlossCard	3R97678				1-up	x	x	Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
ValuePeelCard Coated	3R97953				1-up	x	x	Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
ValuePeelCard Uncoated	3R97952				1-up	x	x	Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
ValuePerfCard Coated	3R97677				1-up	x	x	Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
ValuePerfCard Uncoated	3R97690				1-up	x	x	Full edge bleed NOT recommended. No copy quality guarantees for full colour background											x				
Xerox Transfer Paper	3R97949	3R97951				x	x	A4 Long edge feed, A3 short edge feed. image side up.											x				
Greetings cards	Use Colotech Supergloss Pre-scored 210g/m² (see above). Duplex text or light-coverage areas only. Copy/print the uncoated side first.																						
Xerox Carbonless Paper: Note: Other part numbers are acceptable. Singles and straight colated sequence only	3R99105					x	x	x	x	x													
	3R99108					x	x	x	x	x													
	3R99111				80	x	x	x	x	x													

