



## **Recommended Xerox Media for Xerox DocuColor 40/30 copier printer (EUROPE)**

**Revision 17, FEBRUARY, 2007**

**Last issued July 2006**

This supersedes any previous Recommended Media for Xerox DocuColor 40/30 list.

**Any additions or part number changes since the last publication are indicated in Blue print.**

### **Important Note:**

**Media recommendations made in this publication are based on qualification tests\* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume.**

**Test machines are maintained within specifications defined by user documentation.**

**\* Testing environment Temperature 23 degreesC±2, Relative Humidity 50% ±5.**

**In the enclosed Recommended Materials List, green shaded areas marked with an "x" indicate approved product/media type configurations. Although these configurations are recommended, reliability is based on your operating environment and application mix.**

**Machine reliability specifications may be affected by increased usage of Heavy Weight mode and Extra Heavy Weight mode. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox Sales or Service representative can advise you on using Heavy Weight mode, or special application media types for long duration copy/print runs.**

**For specifications and a description of the various media types discussed in this publication, please refer to the Color Material Usage Guide that comes with your machine.**

**© 2003 Xerox Corporation. All rights reserved.**

**Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation.**

**Other company trademarks are also acknowledged.**

	International Cut Sheet Size			Weight (g/m <sup>2</sup> )	Output Selection		DocuColor 30/40 Family						
	A4 (210x297)	A3 (297x420)	A3+ (305x457)		Black only	Full Color	Internal trays 64 - 105 gsm		Bypass tray and Hi Capacity Feeder 64 - 220 gsm				
Weight range specification	→						64 - 105 gsm		64-105 gsm	106-220 gsm			
Media selection	→						plain paper mode	duplex from trays	plain paper mode	thick paper mode	trans- parency mode	opaque mode	manual duplex (bypass and HCF)
<b>Business Papers (bond, xerographic and laser grades)</b>				<b>For media marked # - colour print quality will not be as good as Colotech+ papers</b>									
Xerox Premier	3R91713			60	x	#	x	x	x				x
	3R91720			80	x	#	x	x	x				x
Xerox Premier		3R91721		80	x	#	x	x	x				x
Xerox Digital Colour Impressions	3R97661			80									
		3R97662		80									
Xerox Digital Colour Impressions	3R97663			90	x	x	x	x	x				x
		3R97664		90	x	x	x	x	x				x
Xerox Digital Colour Colotech + Gold	3R97988			90	x	x	x	x	x				x
		3R97990		90	x	x	x	x	x				x
Xerox Digital Colour Colotech +	3R94641			90	x	x	x	x	x				x
		3R94642		90	x	x	x	x	x				x
			3R94643	90	x	x			x				x
Xerox XPrint	3R95254			80	x	x	x	x	x				x
		3R95255		80	x	x	x	x	x				x
Xerox Digital Colour Impressions	3R97666			100	x	x	x	x	x				x
		3R97667		100	x	x	x	x	x				x
Xerox Digital Colour Colotech + Gold	3R97993			100	x	x	x	x	x				x
		3R97955		100	x	x	x	x	x				x
Xerox Digital Colour Colotech +	3R94646			100	x	x	x	x	x				x
		3R94647		100	x	x	x	x	x				x
			3R94648	100	x	x			x				x
Xerox Digital Colour Colotech + Natural White	3R97102			100	x	x	x	x	x				x
		3R97103		100	x	x	x	x	x				x
				100	x	x			x				x
Xerox Digital Colour Impressions		3R97669		120	x	x				x			x
Xerox Digital Colour Colotech + Gold	3R97958			120	x	x				x			x
		3R97959		120	x	x				x			x

	International Cut Sheet Size			Weight (g/m <sup>2</sup> )	Output Selection		DocuColor 30/40 Family						
	A4 (210x297)	A3 (297x420)	A3+ (305x457)		Black only	Full Color	Internal trays 64 - 105 gsm		Bypass tray and Hi Capacity Feeder 64 - 220 gsm				
Weight range specification	→						64 - 105 gsm		64-105 gsm	106-220 gsm			
Media selection	→						plain paper mode	duplex from trays	plain paper mode	thick paper mode	trans- parency mode	opaque mode	manual duplex (bypass and HCF)
Xerox Digital Colour Colotech +	3R94651			120	x	x				x			x
		3R94652		120	x	x				x			x
			3R94653	120	x	x				x			x
<b>Index/Cover</b>													
Xerox Digital Colour Colotech + Gold	3R97963			160	x	x				x			x
		3R97964		160	x	x				x			x
Xerox Digital Colour Colotech +	3R94656			160	x	x				x			x
		3R94657		160	x	x				x			x
			3R95658	160	x	x				x			x
Xerox Digital Colour Colotech + Natural White	3R95956			160	x	x				x			x
		3R95957		160	x	x				x			x
				160	x	x				x			x
Xerox Digital Colour Colotech + Gold	3R97967			200	x	x				x			x
		3R97968		200	x	x				x			x
Xerox Digital Colour Colotech +	3R94661			200	x	x				x			x
		3R94662		200	x	x				x			x
			3R94663	200	x	x				x			x
Xerox Digital Colour Colotech + Natural White	3R95958			200	x	x				x			x
		3R95959		200	x	x				x			x
				200	x	x				x			x
Xerox Digital Colour Colotech + Gold	3R97967			200	x	x				x			x
		3R97968		220	x	x				x			x
Xerox Digital Colour Colotech +	3R94668			220	x	x				x			x
		3R94669		220	x	x				x			x
			3R94670	220	x	x				x			x
<b>COATED PAPERS</b>													
Xerox Digital Colour Colotech+ Gloss Coated	3R97574			120	x	x				x			x
		3R97575		120	x	x				x			x
Xerox Digital Colour Impressions Gloss Coated		3R97886		120	x	x				x			x
Xerox Digital Colour Colotech+ Silk Coated	3R97592			120	x	x				x			x
		3R97593		120	x	x				x			x
Xerox Digital Colour Colotech+ Gloss Coated	3R97577			140	x	x				x			recommended simplex only
		3R97578		140	x	x				x			

	International Cut Sheet Size			Weight (g/m <sup>2</sup> )	Output Selection		DocuColor 30/40 Family						
	A4 (210x297)	A3 (297x420)	A3+ (305x457)		Black only	Full Color	Internal trays 64 - 105 gsm		Bypass tray and Hi Capacity Feeder 64 - 220 gsm				
Weight range specification	→						64 - 105 gsm		64-105 gsm	106-220 gsm			
Media selection	→						plain paper mode	duplex from trays	plain paper mode	thick paper mode	transparency mode	opaque mode	manual duplex (bypass and HCF)
Xerox Digital Colour Colotech+ Silk Coated	3R97595			140	x	x				x			recommended simplex only
		3R97596		140	x	x				x			
Xerox Digital Colour Colotech+ Gloss Coated	3R97580			170	x	x				x			
		3R97581		170	x	x				x			
Xerox Digital Colour Colotech+ Silk Coated	3R97598			170	x	x				x			
		3R97599		170	x	x				x			
<b>Coated Covers</b>													
Xerox Digital Colour Colotech+ Gloss Coated	3R97583			210	x	x				x			recommended simplex only
		3R97584		210	x	x				x			
Xerox Digital Colour Impressions Gloss Coated		3R97889		210	x	x				x			
Xerox Digital Colour Colotech+ Silk Coated	3R97601			210	x	x				x			
		3R97602		210	x	x				x			
<b>Coated One Side Cover (C1S)</b>													
Xerox Digital Colour Colotech Supergloss	3R97679			135	x	x				x			For limited duplex. Print the uncoated side first with text or low area coverage
Xerox Digital Colour Colotech Supergloss	3R97680			160	x	x				x			
		3R97681		160	x	x				x			
Xerox Digital Colour Colotech Supergloss	3R97682			210	x	x				x			
		3R97683		210	x	x				x			
Xerox Digital Colour Colotech Super Prescored	3R97685			210	x	x				short edge feed from bypass tray			Long edge feed from HCF. For limited duplex, print on the uncoated side first with text or low area coverage image only
<b>Transparencies</b>													
Xerox Universal Transparency with paper backing	3R98199	THICK PAPER MODE FROM BYPASS TRAY ONLY			x	x				x			
<b>Paper Labels</b>													
Xerox Colotech Supergloss label	3R97288			1-UP	x	x				x			

	International Cut Sheet Size			Weight (g/m <sup>2</sup> )	Output Selection		DocuColor 30/40 Family							
	A4 (210x297)	A3 (297x420)	A3+ (305x457)		Black only	Full Color	Internal trays 64 - 105 gsm		Bypass tray and Hi Capacity Feeder 64 - 220 gsm					
Weight range specification	→						64 - 105 gsm		64-105 gsm	106-220 gsm				
Media selection	→						plain paper mode	duplex from trays	plain paper mode	thick paper mode	trans- parency mode	opaque mode	manual duplex (bypass and HCF)	
Xerox Colour Copier/Laser Labels	3R93872			1-UP	x	x				x				
	3R95813			4-UP	x	x				x				
	3R93874			8-UP	x	x				x				
	3R93875			14-UP	x	x				x				
	3R95815			21-UP	x	x				x				
	3R97524			24-UP	x	x				x				
<b>Paper Labels -continued</b>														
Xerox Removable Laser Label	3R96177			16-UP	x	x				x				
	3R96178			24-UP	x	x				x				
Xerox Permanent Laser Label	3R96169			1-UP	x	x				x				
	3R96283			8-UP	x	x				x				
	3R96284			10-UP	x	x				x				
	3R96281			16-UP	x	x				x				
	3R96282			24-UP	x	x				x				
Xerox Colotech Supergloss CD label 117mm x41mm	3R97287			2-UP	x	x				x				
Xerox CD label & CD insert Combi Box	3R97515			2-UP	x	x				x				
<b>Synthetic Label</b>														
Xerox Durapaper Label waterproof, oil, chemical resistant	3R97344			1-UP	x	x						x		
Xerox Glossy White self adhesive label	3R97245			1-UP	x	x						x		
Xerox Crystal Clear self adhesive label	3R97244			1-UP	x	x						x		
<b>Synthetic media</b>	Choice should be determined according to special application requirements. For considerations when choosing and using synthetic media please refer to the Appendix													
Xerox Premium Never Tear	Each batch run should not be more than 100 simplex. Must run 50 sheets paper between batches.Static may cause issues in stacking. Not more than 200 sheets per day													
	3R98056			95 µm	x	x							x	

	International Cut Sheet Size			Weight (g/m <sup>2</sup> )	Output Selection		DocuColor 30/40 Family						
	A4 (210x297)	A3 (297x420)	A3+ (305x457)		Black only	Full Color	Internal trays 64 - 105 gsm		Bypass tray and Hi Capacity Feeder 64 - 220 gsm				
Weight range specification	→						64 - 105 gsm	64-105 gsm	106-220 gsm				
Media selection	→						plain paper mode	duplex from trays	plain paper mode	thick paper mode	transparency mode	opaque mode	manual duplex (bypass and HCF)
<b>Special Stocks</b>	<b>For media marked # - colour print quality will not be as good as Colotech+ papers</b>												
Xerox DocuPac Glossy white presentation folder	3R97251			210	x	x	<b>COPY MODE ONLY</b>			x			x
Xerox DocuPac Matt white presentation folder	3R97353			180	x	#				x			x
Xerox Laser Busines cards 10-up	3R97512			195	x	#				x			x
Xerox Digital Colour Colotech Dividers	3R97231			5-Part	x	x				x	<b>COPY MODE ONLY</b>		
<b>Xerox Transfer Paper</b>	<b>Each batch run should not be more than 100 simplex. Must run 50 sheets paper between batches.Static may cause issues in stacking. Not more than 200 sheets per day</b>												
	3R97949	3R97951			x	x							x
Xerox Drafting Film	3R98190			75µm	x	x				x			
Xerox Tracing Paper (translucent)	3R96030			90	x	x	x						
Xerox Docucard 500 sheet box	3R97571			1 -up	x	x				x	Full edge bleed NOT recommended. No copy quality quarantees for full colour background		
Greetings Card. Xerox Colotech Super Pre-scored (coated one side, C1S)	3R95539			210	x	x				short edge feed from bypass tray			Long edge feed from HCF. For limited duplex, print on the uncoated side <u>first</u> with text or low area coverage image only