

XEROX

Technology | Document Management | Consulting Services

Recommended Xerox Media for Xerox DocuColor 5000

Revision: 2.0 February 2007

Last revision June 2006

Important Note:

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate to heavy image area coverage.

Test machines are maintained within specifications defined by user documentation.

* Testing environment Temperature 23 degreesC±2, Relative Humidity 50% ±5. Relative Humidity range 20-50%.

Reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by high usage of heavy weight and specialty stocks.

In addition, variances in machine reliability may occur due to extended use of some media types.

© 2006 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation.

Other company trademarks are also acknowledged.

Warranty disclaimer:

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products.

Customers should inquire directly of their paper distributor or manufacturer for any guidance when purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee.

The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox Colour equipment, use only the best - Xerox supplies.

EUROPEAN RECOMMENDED MATERIALS LIST- DocuColor 5000

Weight Range Specification Instructions for Printing one side (Simplex) or two sides (Duplex) Business Papers (Bond, xerographic, and laser grades)	Decurler Setting paper type	Standard Cut Sizes				Grammage Weight (g/m2) Weight of the paper in grams per square meter	Trays/ Weight Selection and Best Practices for Operation												
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm		IOT: Trays 1 and 2 SFM: Trays 3 and 4		IOT: Trays 1 and 2 SFM: Trays 3 and 4		IOT: Trays 1 and 2 SFM: Trays 3 and 4		IOT: Trays 1 and 2 SFM: Trays 3 and 4		IOT: Trays 1 and 2 SFM: Trays 3 and 4		IOT: Trays 1 and 2 SFM: Trays 3 and 4		
		60-80 gsm		81-105 gsm			106-135 gsm		136-186 gsm		187-220 gsm		221-300 gsm						
Simplex		Duplex		Simplex		Duplex		Simplex		Duplex		Simplex		Duplex		Simplex		Duplex	
Xerox Digital Colour Impressions 80 gsm	A	3R97661	3R97662		3R97991	80	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech + Gold 90 gsm	A		3R97990			90	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech + 90 gsm	A		3R94642	3R94643	3R95838	90	OK All Trays	OK All Trays											
Xerox Digital Colour Impressions 90 gsm	A	3R97663	3R97664		3R97665	90	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech + Gold 100 gsm	A		3R97955		3R97956	100	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech + 100 gsm	A		3R94647	3R94648	3R95839	100	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech Natural White 100 gsm	A		3R97103		3R97275	100	OK All Trays	OK All Trays											
Xerox Digital Colour Impressions 100 gsm	A	3R97666	3R97667		3R97668	100	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech+ Gold 120 gsm	B		3R97959		3R97960	120	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech+ 120 gsm	B		3R94652	3R94653	3R95840	120	OK All Trays	OK All Trays											
Xerox Digital Colour Impressions 120 gsm	A		3R94651		3R97670	120	OK All Trays	OK All Trays											
Uncoated Heavy Stocks	Decurler Setting paper type		3R97669			120	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech + Gold 160 gsm	A		3R97964		3R97965	160	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech + 160 gsm	A		3R94657	3R94658	3R95841	160	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech Natural White 160 gsm	A		3R95957		3R97276	160	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech + Gold 200 gsm	A		3R97968		3R97969	200	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech + 200 gsm	A		3R94662		3R95842	200	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech Natural White 200 gsm	A		3R95959		3R97277	200	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech + Gold 220 gsm	A		3R97972		3R97973	220	OK All Trays	OK All Trays											
Xerox Digital Colour Colotech + 220 gsm	A		3R94669	3R94670	3R95843	220	OK All Trays	OK All Trays											

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit our website at www.xerox.com, select "Country", then "Supplies".

EUROPEAN RECOMMENDED MATERIALS LIST- DocuColor 5000

Weight Range Specification Instructions for Printing one side (Simplex) or two sides (Duplex)	Decurler Setting paper type	Standard Cut Sizes				Grammage Weight of the paper in grams per square meter	DC5000 Trays/ Weight Selection and Best Practices for Operation												
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm		IOT: Trays 1 and 2 SFM: Trays 3 and 4		IOT: Trays 1 and 2 SFM: Trays 3 and 4		IOT: Trays 1 and 2 SFM: Trays 3 and 4		IOT: Trays 1 and 2 SFM: Trays 3 and 4		IOT: Trays 1 and 2 SFM: Trays 3 and 4				
		Weight Range Specification					60-80 gsm		81-105 gsm		106-135 gsm		136-186 gsm		187-220 gsm		221-300 gsm		
						Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex		
Uncoated Heavy Stocks																			
Xerox Digital Colour Colotech + Gold 250 gsm	A		3R97976		3R97977	250												OK All Trays	Manual Duplex
						250												OK All Trays	Manual Duplex
		3R97975				250												OK All Trays	Manual Duplex
						250												OK All Trays	Manual Duplex
Xerox Digital Colour Colotech + 250 gsm	A		3R94672		3R95844	250												OK All Trays	Manual Duplex
						250												OK All Trays	Manual Duplex
		3R94671		3R94673		250												OK All Trays	Manual Duplex
						250												OK All Trays	Manual Duplex
Xerox Digital Colour Impressions 250 gsm	A		3R97671		3R97672	250												OK All Trays	Manual Duplex
						250												OK All Trays	Manual Duplex
Xerox Digital Colour Colotech + Gold 280 gsm	A		3R97980		3R97981	280												OK All Trays	Manual Duplex
						280												OK All Trays	Manual Duplex
		3R97979				280												OK All Trays	Manual Duplex
Xerox Digital Colour Colotech + 280 gsm	A		3R97098		3R97099	280												OK All Trays	Manual Duplex
						280												OK All Trays	Manual Duplex
		3R97097				280												OK All Trays	Manual Duplex
Xerox Digital Colour Colotech + Gold 300 gsm	A		3R97984		3R97985	300												OK All Trays	Manual Duplex
						300												OK All Trays	Manual Duplex
		3R97983				300												OK All Trays	Manual Duplex
Xerox Digital Colour Colotech + 300 gsm	A		3R97553		3R97554	300												OK All Trays	Manual Duplex
						300												OK All Trays	Manual Duplex
		3R97552				300												OK All Trays	Manual Duplex
Coated Text or Book Stocks																			
C2S																			
Xerox Digital Colour Impression Gloss Coated 120 gsm	A		3R97886		3R97887	120				OK All Trays	OK All Trays								
						120				OK All Trays	OK All Trays								
						120				OK All Trays	OK All Trays								
Xerox Digital Colour Colotech + Silk Coated 120 gsm	A		3R97593		3R97594	120				OK All Trays	OK All Trays								
						120				OK All Trays	OK All Trays								
		3R97592				120				OK All Trays	OK All Trays								
Xerox Digital Colour Colotech + Gloss Coated 120 gsm	A		3R97575		3R97576	120				OK All Trays	OK All Trays								
						120				OK All Trays	OK All Trays								
		3R97574				120				OK All Trays	OK All Trays								
Xerox Digital Colour Colotech + Silk Coated 140 gsm	A		3R97596		3R97597	140						OK All Trays	OK All Trays						
						140						OK All Trays	OK All Trays						
		3R97595				140						OK All Trays	OK All Trays						
Xerox Digital Colour Colotech + Gloss Coated 140 gsm	A		3R97578		3R97579	140						OK All Trays	OK All Trays						
						140						OK All Trays	OK All Trays						
		3R97577				140						OK All Trays	OK All Trays						
Coated Heavy Stocks																			
C2S																			
Xerox Digital Colour Colotech + Silk Coated 170 gsm	A		3R97599		3R97600	170						OK All Trays	OK All Trays						
						170						OK All Trays	OK All Trays						
		3R97598				170						OK All Trays	OK All Trays						
Xerox Digital Colour Colotech + Gloss Coated 170 gsm	A		3R97581		3R97582	170						OK All Trays	OK All Trays						
						170						OK All Trays	OK All Trays						
		3R97580				170						OK All Trays	OK All Trays						
Xerox Digital Colour Colotech + Silk Coated 210 gsm	A		3R97602		3R97603	210								OK All Trays	OK All Trays				
						210								OK All Trays	OK All Trays				
		3R97601				210								OK All Trays	OK All Trays				
Xerox Digital Colour Impression Gloss Coated 210 gsm	A		3R97889		3R97890	210								OK All Trays	OK All Trays				
						210								OK All Trays	OK All Trays				
						210								OK All Trays	OK All Trays				
Xerox Digital Colour Colotech + Gloss Coated 210 gsm	A		3R97584		3R97585	210								OK All Trays	OK All Trays				
						210								OK All Trays	OK All Trays				
		3R97583				210								OK All Trays	OK All Trays				
Xerox Digital Colour Colotech + Silk Coated 250 gsm	A		3R97605		3R97606	250												OK All Trays	Manual Duplex
						250												OK All Trays	Manual Duplex
		3R97604				250												OK All Trays	Manual Duplex
Xerox Digital Colour Colotech + Gloss Coated 250 gsm	A		3R97587		3R97588	250												OK All Trays	Manual Duplex
						250												OK All Trays	Manual Duplex
		3R97586				250												OK All Trays	Manual Duplex
Xerox Digital Colour Colotech + Silk Coated 280 gsm	A		3R97608		3R97609	280												OK All Trays	Manual Duplex
						280												OK All Trays	Manual Duplex
		3R97607				280												OK All Trays	Manual Duplex
Xerox Digital Colour Colotech + Gloss Coated 280 gsm	A		3R97590		3R97591	280												OK All Trays	Manual Duplex
						280												OK All Trays	Manual Duplex
		3R97589				280												OK All Trays	Manual Duplex

EUROPEAN RECOMMENDED MATERIALS LIST- DocuColor 5000

		Standard Cut Sizes				Grammage Weight (g/m2) Weight of the paper in grams per square meter	DC5000 Trays/ Weight Selection and Best Practices for Operation										
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm		IOT: Trays 1 and 2 SFM: Trays 3 and 4		IOT: Trays 1 and 2 SFM: Trays 3 and 4		IOT: Trays 1 and 2 SFM: Trays 3 and 4		IOT: Trays 1 and 2 SFM: Trays 3 and 4		IOT: Trays 1 and 2 SFM: Trays 3 and 4		
Weight Range Specification						60-80 gsm		81-105 gsm		106-135 gsm		136-186 gsm		187-220 gsm		221-300 gsm	
Instructions for Printing one side (Simplex) or two sides (Duplex)						Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex
Super Gloss Coated Heavy Stocks C1S	Decurler Setting paper type																
Xerox Digital Colour Colotech + SuperGloss 135 Image quality will not be as good on second side	A	Select 106-135 gsm mode. Load with coated side up.				135						OK All Trays	OK All Trays				
Xerox Digital Colour Colotech + SuperGloss 160 Image quality will not be as good on second side	A	Select 187-220 gsm mode. Load with coated side up.				160								OK All Trays	OK All Trays		
Xerox Digital Colour Colotech + SuperGloss 210 Image quality will not be as good on second side	A	3R97680	3R97683		3R97684	210								OK All Trays	OK All Trays		
Xerox Digital Colour Colotech + SuperGloss 250 Image quality will not be as good on second side	A		3R97687			250										OK All Trays	Manual Duplex
		3R97686				250										OK All Trays	Manual Duplex
Specialties	Decurler Setting paper type					Various											
Xerox Digital Colour Colotech Super 210 A4 Prescored White	A	3R97685	Second side image quality will not be as good as side one			160								OK All Trays	OK All Trays		
Xerox ValuPerfCard Coated 500 sheet box	A	3R97677	Maximum of 50 sheet stacks			216								OK All Trays	OK All Trays		
Xerox ValuPerfCard Uncoated 500 sheet box	A	3R97690	Maximum of 50 sheet stacks			216								OK All Trays	OK All Trays		
Xerox DuraPaper X250	A	Select Uncoated 221-300 gsm mode. Load image side up														OK All Trays	Manual Duplex
					3R97513	250 microns											
Xerox DocuPac Glossy White Presentation folder	A	Select Coated 187-220 gsm mode - load glossy side up, score line trailing				210								OK All Trays	OK All Trays		
Xerox DocuPac Matt Presentation folder	A	Select uncoated 187-220 gsm mode- load glossy side up, score line trailing.												OK All Trays	OK All Trays		
		3R97353	Image quality not as good as Colotech +			180											
Xerox Laser Business Cards 10-UP	A	Select uncoated 187-220 gsm mode in Tray image side up.												OK All Trays	Manual Duplex		
		3R97512				195											
Xerox Colotech Supergloss Document Folder	A	Select coated 221-280 gsm mode for glossy side, uncoated 221-300 gsm for matt side														OK All Trays	Manual Duplex
					3R97634	250											
Tab Stock	Decurler Setting paper type																
Xerox Digital Colour Colotech Tabs * white 100x5 reverse	B	3R97231												OK All Trays	OK All Trays		
Xerox Digital Colour Colotech Tabs* white 50x10 reverse	B	3R97232				200								OK All Trays	OK All Trays		
Xerox Mylar Tabs* White 100 X 5 reverse	B	3R97229												OK All Trays	OK All Trays		
Xerox Mylar Tabs* White 50 X 10 reverse	B	3R97230												OK All Trays	OK All Trays		

* Feed Long Edge First, Tabs Trailing



EUROPEAN RECOMMENDED MATERIALS LIST- DocuColor 5000

	Decurler Setting paper type	Standard Cut Sizes				Grammage Weight (g/m2) Weight of the paper in grams per square meter	DC5000 Trays/ Weight Selection and Best Practices for Operation											
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm		60-80 gsm IOT: Trays 1 and 2 SFM: Trays 3 and 4		81-105 gsm IOT: Trays 1 and 2 SFM: Trays 3 and 4		106-135 gsm IOT: Trays 1 and 2 SFM: Trays 3 and 4		136-186 gsm IOT: Trays 1 and 2 SFM: Trays 3 and 4		187-220 gsm IOT: Trays 1 and 2 SFM: Trays 3 and 4		221-300 gsm IOT: Trays 1 and 2 SFM: Trays 3 and 4	
Weight Range Specification						60-80 gsm		81-105 gsm		106-135 gsm		136-186 gsm		187-220 gsm		221-300 gsm		
Instructions for Printing one side (Simplex) or two sides (Duplex)						Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	
Transparencies	Decurler Setting paper type	FOR HIGH PRINT QUALITY Select Uncoated 221-300 gsm mode. Load transparency facing up.																
Xerox Universal Transparency with Paper backing (250 SHEET BOX)	Default	3R98199				100 micron											OK All Trays	
Xerox Universal Transparency with Paper backing SRA3	Default				3R98201	100 micron											OK All Trays	
Label Stock	Decurler Setting paper type	FOR HIGH SPEED (STANDARD PRINT QUALITY) Select Uncoated 187-220 gsm mode. Load transparency facing up.																
Xerox Universal Transparency with Paper backing (250 SHEET BOX)	Default	3R98199				100 micron											OK All Trays	
Xerox Universal Transparency with Paper backing SRA3	Default				3R98201	100 micron											OK All Trays	
Xerox Colour Laser Printer Labels		Label Stock (Approximately)																
1 PER A4	C	3R93872				190											OK All Trays	
6 PER A4		3R93873				190											OK All Trays	
8 PER A4		3R93874					190										OK All Trays	
14 PER A4		3R93875					190										OK All Trays	
24 PER A4		3R97524					190											OK All Trays
Xerox laser Colour Gloss Coated Labels																		
1 PER A4	C	3R97288				190											OK All Trays	
2 to view CD labels	C	3R97287				190											OK All Trays	
Xerox CD Colotech + Matt label & CD Insert Combi Box	C&A	3R97515				190 & 120											OK All Trays	
Xerox Durapaper Label (polyolefin face material) 1 PER A4	C	3R97344				250											OK All Trays	
Xerox Glossy White Self Adhesive Label A4	Default	Select Uncoated 187-220 gsm mode. Load image side up.																
		3R97245				190											OK All Trays	
Xerox Glossy White Self Adhesive Label SRA3	Default				3R97348	190											OK All Trays	
Carbonless Paper	Decurler Setting paper type	Fan must be disabled prior to use*																
Xerox Premium Digital Carbonless Paper		approximately																
CB Singles White	A	3R99069				82											OK All Trays	
CB Singles White (PLE)		3R99088					82										OK All Trays	
CB Singles White (PSE)		3R99089					82										OK All Trays	
CB Singles Yellow		3R99080					82											OK All Trays
CB Singles Pink		3R99083					82											OK All Trays
CB Singles Blue		3R99082					82											OK All Trays
CB Singles Green		3R99081					82											OK All Trays
CFB Singles White		3R99070					86											OK All Trays
CFB Singles Yellow		3R99071					86											OK All Trays
CFB Singles Yellow (PLE)		3R99091					86											OK All Trays
CFB Singles Yellow (PSE)		3R99092					86											OK All Trays
CFB Singles Pink		3R99074					86											OK All Trays
CFB Singles Pink (PLE)		3R99093					86											OK All Trays
CFB Singles Blue		3R99072					86											OK All Trays
CFB Singles Green		3R99073					86											OK All Trays
CF Singles White		3R99075					82											OK All Trays
CF Singles White (PLE)		3R99090					82											OK All Trays
CF Singles Yellow		3R99076					82											OK All Trays
CF Singles Pink		3R99077					82											OK All Trays
CF Singles Pink (PLE)		3R99094					82											OK All Trays
CF Singles Blue	3R99078					82											OK All Trays	
CF Singles Green	3R99079					82											OK All Trays	
A4+ CF Singles Yellow	3R99639					82											OK All Trays	
A4+ CF Singles Pink	3R99638					82											OK All Trays	
A4+ CF Singles Blue	3R99644					82											OK All Trays	
CF Singles Tag Cream	3R99146					170											OK All Trays	
CF Singles Tag White	3R99147					170											OK All Trays	
A4+ CF Singles Tag Cream	3R99640					170											OK All Trays	
A4+ CF Singles Tag Pink	3R99641					170											OK All Trays	
2-Part White / Yellow	A	3R99105				82/82											OK All Trays	
			3R99133				82/82											OK All Trays
2-Part White (PLE) / Yellow			3R99084				82/82											OK All Trays
2-Part White (PSE) / Yellow			3R99085				82/82											OK All Trays
			3R99107				82/82											OK All Trays
2-Part White / Pink					3R99134	82/82											OK All Trays	
3-Part Straight White / Yellow / Pink	A	3R99108				82/86/82											OK All Trays	
			3R99135				82/86/82											OK All Trays
3-Part Straight White (PLE) / Yellow (PLE) / Pink			3R99086				82/86/82											OK All Trays
3-Part Straight White (PSE) / Yellow (PSE) / Pink			3R99087				82/86/82											OK All Trays
3-Part Reverse Pink / Yellow / White			3R99109				82/86/82											OK All Trays
4-Part Straight White / Yellow / Pink / Blue	A	3R99111				82/86/86/82											OK All Trays	
4-Part Reverse Blue / Pink / Yellow / White			3R99112				82/86/86/82											OK All Trays

* Contact your local Service Representative and refer to System Administration Guide for details

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit our website at www.xerox.com, select "Country", then "Supplies".